

Pathway Title: Cervical cancer screening: Follow-up of a Pap test reported as "unsatisfactory"

Last Updated Date: 22/Jun/2023

Consulted Date: 06/Aug/2023 10:31:00 GMT+05:00

Pathway ID: 120449

Pathway Version: 16.0

Disclaimer:

This copy of the UpToDate Pathway includes the algorithm only. Go to <https://pathways.uptodate.com/pathway/120449> to review the complete and most current version of the pathway.

This generalized information is a limited summary of diagnosis, treatment, and/or medication information. It is not meant to be comprehensive and should be used as a tool to help the user understand and/or assess potential diagnostic and treatment options. It does NOT include all information about conditions, treatments, medications, side effects, or risks that may apply to a specific patient. It is not intended to be medical advice or a substitute for the medical advice, diagnosis, or treatment of a health care provider based on the health care provider's examination and assessment of a patient's specific and unique circumstances. Patients must speak with a health care provider for complete information about their health, medical questions, and treatment options, including any risks or benefits regarding use of medications. This information does not endorse any treatments or medications as safe, effective, or approved for treating a specific patient. UpToDate, Inc. and its affiliates disclaim any warranty or liability relating to this information or the use thereof. The use of this information is governed by the Terms of Use, available at <https://www.wolterskluwer.com/en/know/clinical-effectiveness-terms>. © 2023 UpToDate, Inc. and its affiliates and/or licensors. All rights reserved.



